

# PassLeader

PassLeader

> Contact Us    Login / Register    Search...

HOME

ALL VENDORS

★ GUARANTEE

? FAQ

TESTIMONIALS

CART (1)



Try **PDF Demo** before you buy

We're not the only ones **happy** about PassLeader Practice Material ...

63159+ customers in 100+ countries use PassLeader Test Engine. Meet our customers.

VOREED

GetCustom

JET ORANGE

iCompany

Paradoxx

iMessenger



<http://www.passleader.top/>

Latest Exam Guide & Learning Materials

**Exam** : **600-211**

**Title** : Implementing Cisco Service  
Provider Mobility CDMA  
Networks (SPCDMA)

**Vendor** : Cisco

**Version** : DEMO

NO.1 Where is ECS rulebase referenced on the Cisco ASR 5000 PDSN in order to apply rules defined in active-charging service?

- A. Subscriber template
- B. AAA group
- C. APN profile
- D. PDSN service

**Answer:** A

NO.2 Which interface carries signaling information between PCF and PDSN?

- A. A8
- B. A9
- C. A10
- D. A11

**Answer:** D

NO.3 What is the signaling interface between the EPC MME and the evolved HRPD Access Network (eAN/ePCF)?

- A. S103
- B. X2
- C. S101
- D. H1
- E. A10
- F. A11

**Answer:** C

NO.4 Which access network element is responsible for delivering the IPv4 address and/or IPv6 prefix to the UE?

- A. 3GPP AAA
- B. aAN/ePCF
- C. 3GPP2 AAA
- D. HSGW
- E. PDN-GW

**Answer:** D

NO.5 Which network element sends the Re-Auth-Request?

- A. OCS
- B. HA
- C. PDSN
- D. RNC

**Answer:** A

NO.6 Which Cisco ASR 5000 CLI options are available actions that can be taken when NAT allocation is in progress?

- A. forward or buffer
- B. drop or continue
- C. buffer or drop
- D. buffer or continue

**Answer: C**

NO.7 Which network element initiates the Gateway Control and QoS Rules Provision Procedure (specified in TS23.203) by sending a message with the QoS rules and Event Trigger information for network initiated dedicated bearer activation in eHRPD?

- A. HSGW
- B. 3GPP2 AAA
- C. PCRF
- D. aAN/ePCF
- E. 3GPP AAA
- F. UE

**Answer: C**

#### NO.8 DRAG DROP

Drag the Cisco ASR 5000 Diameter applications on the left to match the associated interfaces on the right.	
Diameter authentication	Gy interface
Accounting policy for off-line charging	Gx interface
IMS Authorization	Rf interface
Diameter Credit-Control Application	STa interface

**Answer:**

Drag the Cisco ASR 5000 Diameter applications on the left to match the associated interfaces on the right.	
Diameter authentication	Diameter Credit-Control Application
Accounting policy for off-line charging	IMS Authorization
IMS Authorization	Accounting policy for off-line charging
Diameter Credit-Control Application	Diameter authentication